



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/555,073	12/19/2006	Frank Plummer	030841-054132-US	2731

50607 7590 01/14/2011
RONALD I. EISENSTEIN
100 SUMMER STREET
NIXON PEABODY LLP
BOSTON, MA 02110

EXAMINER

PENG, BO

ART UNIT	PAPER NUMBER
----------	--------------

1648

MAIL DATE	DELIVERY MODE
-----------	---------------

01/14/2011

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10555073	12/19/2006	PLUMMER ET AL.	030841-054132-US

RONALD I. EISENSTEIN
100 SUMMER STREET
NIXON PEABODY LLP
BOSTON, MA 02110

EXAMINER

BO PENG

ART UNIT	PAPER
----------	-------

1648	20110112
------	----------

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The applicants are informed that the CRF of the sequence listing, submitted on December 19, 2006, contains an error, which cause "printer rush". Applicants' immediate action is needed.

The error is that the originally submitted file (from 2007) was "corrupted" at Sequence 41: extraneous data appeared directly below the "<213>" (Organism) line. This must be removed. However, the computer readable form (CRF) processing software used in 2007 did not detect the file corruption.

The applicant will need to furnish a replacement of entire sequence listing, with a correction at Sequence 41. The submitted sequence listing file must contain the same sequences as the original (206 sequences). If the applicant electronically files (through EFS) the corrected computer readable form (CRF) of the sequence listing (must be in ASCII text format, with a ".txt" file extension), in response to your notice, no paper copy of the sequence listing is necessary. The applicant will only have to furnish: 1) the aforementioned ASCII text file; 2) a statement that "the submission does not include any new matter which goes beyond the disclosure of the application as filed".

If the applicant does not electronically file the replacement computer readable form (CRF), the following are needed: 1) paper copy of the sequence listing; 2) computer readable form (CRF) in ASCII text format (with a ".txt" file extension); 3) a statement that the paper copy of the sequence listing is identical to the computer readable form of the sequence listing, and does not contain new matter.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bo Peng, Ph.D. whose telephone number is 571-272-5542. The examiner can normally be reached on Tu-F, 8:30-6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor Zachariah Lucas can be reached on 571-272-0905. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

/BO PENG/
Primary Examiner, Art Unit 1648

